

**MODEL 6512/130SQ, 500430**  
**MODEL 6625/160SQ, 500440**

**PARTS LEGEND**

1	500444	1	Silencer Cap	54	094742	1	Washer, .312 x.75 x.062
2	404229	4	Socket Head Cap Screw, 1/4-20 x 2-1/4 (6512/130SQ)	55	500654	1	Piston Bumper
	404367	4	Socket Head Cap Screw, 1/4-20 x 3-1/4 (6625/160SQ)	56	500434	2	Housing Plug, 1/2"
3	002187	8	Lock Washer, 1/4-20	57	097748	1	Spring, Valve Pin
4	091447	4	Flat Washer	58	097746	1	Valve Pin
5	500487	4	Spacer, Silencer Cap	59	092174	1	O-Ring, Valve Body
6	500416	1	Cap, Machined (6512/130SQ)	60	401958	1	Valve Body
	500418	1	Cap, Machined (6625/160SQ)	61	500479	2	Flanged Bearing
7	404325	4	Locknut, 8-32	62	500365	1	Rod, Work Contacting Element Actuation
8	401955	3	Washer, 8-32	63	500445	1	Spring, Work Contacting Element Rod
* 9	500485	1	O-Ring (-203)	→ 64	008388	1	Washer
10	500626	1	Shuttle Valve Assembly	65	500383	1	Retaining Ring
→ 11	500946	1	Square Ring	66	500478	1	Side Handle Assembly Kit w/ tool
12	091339	1	Spring, Shuttle Valve	67	095412	1	Washer, .376 I.D.
13	009016	3	Socket Head Cap Screw, 5/16 x 1	68	500350	1	Magazine (6512/130SQ)
14	095417	2	Lock Washer, 5/16		500351	1	Magazine (6625/160SQ)
15	500443	1	Hanging Bracket	* 69	500520	2	Wear Strip
16	500387	1	Cap Plug, 1/8 NPT	70	500633	1	Nail Cover
17	500407	1	Main Valve Spring	71	404325	1	Lock Nut, 8-32
18	500371	1	Retaining Ring	72	500632	1	End Cap, Magazine
* 19	402961	1	O-Ring (-233)	73	500384	3	Socket Head Cap Screw, 8-32 x 1.25
20	500340	1	Upper Valve Piston	74	500489	1	Button Head Cap Screw, 5/16-24 x 1.25
21	500339	1	Seal, Main Valve	75	500441	2	Grip, Magazine
* 22	401951	1	O-Ring (-126)	76	500435	2	Bushing, Grip
* 23	091208	1	O-Ring (-032)	** 77	500446	2	Label, Danger
* 24	500367	1	O-Ring (-035)	78	095411	4	Cap Screw, 1/4-20
25	500341	1	Lower Valve Piston	79	500386	4	Bushing, Magazine
26	500360	1	Post	80	500629	1	Follower Assembly
→ ▲ 27	500630	1	Socket Head Cap Screw, 8-32 x.813	81	091825	1	Pin, Negator
* 28	500369	1	O-Ring (-133)	82	091826	1	Drum, Negator
29	091861	1	Lock Nut	83	091840	1	Negator Assembly
30	092116	2	Washer	▲ 84	009037	2	Socket Head Cap Screw, 10-32 x 1/2
* 31	500480	1	O-Ring (4 x 60 Metric)	85	004238	2	Lock Washer, No. 10
32	500337	1	Piston	86	402094	2	Flat Washer, No. 10
* 33	500373	1	Driver Blade (6512/130SQ)	* 87	500363	1	Lower Work Contacting Element (6512/130SQ)
	500374	1	Driver Blade (6625/160SQ)		500375	1	Lower Work Contacting Element (6625/160SQ)
34	500338	1	Sleeve Seal	88	500362	1	Intermediate Work Contacting Element
35	500336	1	Sleeve (6512/130SQ)	89	500436	1	Spring, Work Contacting Element
	500342	1	Sleeve (6625/160SQ)	90	402095	1	Nut Bar
→*36	095409	1	O-Ring (-038)	91	500349	1	Nosepiece (6512/130SQ)
37	500352	1	Bumper Plate		500344	1	Nosepiece (6625/160SQ)
* 38	500376	1	Bumper	92	500358	1	Seal, Nose
* 39	500357	1	Gasket, Cap	93	500361	1	Pin, Lockout
40	404938	2	Label, Upper Housing	94	500422	1	Shear Block Assembly (6512/130SQ)
41	500786	1	Nameplate, (6512/130SQ)		500423	1	Shear Block Assembly (6625/160SQ)
	500787	1	Nameplate, (6625/160SQ)	95	403082	2	Washer
* 42	500486	1	O-Ring (-234)	96	402738	1	Spring, Lockout
* 43	500368	1	O-Ring (-042)	97	500372	1	Retaining Ring
44	500343	1	Flange	98	095417	1	Lock Washer, 5/16
45	500590	1	Roll Pin Assembly	99	034976	1	Nut, Flexlock, 5/16
46	500490	1	Label, Hanger Bracket	100	026133	2	Roll Pin, 1/8 x 1
47	500380	5	Lock Washer, 3/8	101	500640	2	SHCS 6-32 x 3/8"
48	092171	5	Socket Head Cap Screw, 3/8 x 1	102	091569	2	Flexloc Nut 6-32
* 49	091623	1	O-Ring (-011)	103	402079	1	Pin, Trigger
50	500378	1	Housing Assembly	104	406006	1	Sequential Trigger Assembly
51	405539	1	Label, Nail Size (6512/130SQ)	105	500421	1	Main Valve Assembly
	405540	1	Label, Nail Size (6625/160SQ)	106	092048	1	O-Ring
52	500522	1	Reducing Pipe Bushing	→107	500569	1	Handle and Core
53	500432	1	Acorn Nut, 5/16-24	→108	500628	4	Roller
				→109	402668	2	Retainer
				→110	402743	2	Pin

▲ Apply Loctite (Blue), Part No. 093500

\* Denotes Normal Wear Item

\*\* Make sure Danger Label (500446) is properly affixed. Replace if necessary. The labels are available at no charge through the Service Department.

→ Denotes New Change.



